ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 591 (1999) 221–222

Journal of Organometallic Chemistry

Contents of Volume 591

Special volume: Organometallic Chemistry with N and O π-Donor Ligands. Guest Editor: P. Mountford

Preface
P. Mountford 1

Reversible C–H activation of an *N*-methyl group in a bis-Zr(IV) diazametallacycle: generation of an end-on, side-on coordinated bridging alkylideneamido ligand
R.L. Zuckerman, S.W. Krska, R.G. Bergman 2

The synthesis of tungsten imido hydride complexes by the hydrogenolysis of dialkyl complexes
J.M. Boncella, S.-Y.S. Wang, D.D. VanderLende 8

Synthesis and structural characterization of uranium *ansa*-metallocene complexes containing organoimido functional groups; electronic effects of ancillary ligands
R.C. Schnabel, B.L. Scott, W.H. Smith, C.J. Burns 14

Dimolybdenum–μ-cyanide complexes supported by *N-tert*-butylanilide ligation: in pursuit of cyanide reductive cleavage
J.C. Peters, L.M. Baraldo, T.A. Baker, A.R. Johnson, C.C. Cummins 24

Imido complexes of manganese
A.A. Danopoulos, J.C. Green, M.B. Hursthouse 36

The metal–carbon multiple bond in iron(I)– and iron(II)–dibenzotetramethyltetra[14]azaannulene: carbene, carbonyl, and isocyanide derivatives
A. Klose, J. Hesschenbrouck, E. Solari, M. Latronico, C. Floriani, N. Re, A. Chiesi-Villa, C. Rizzoli 45

Synthesis and characterization of Group 13 hydrides and metal–metal bonded dimers stabilized by the macrocyclic bis(amidophosphine) ligand $[P_2N_2]$ ($[P_2N_2] = [PhP(CH_2SiMe_2NSiMe_2CH_2)_2PPh]$)
M.D. Fryzuk, G.R. Giesbrecht, S.J. Rettig, G.P.A. Yap 63

The tendency of tripodal amidozirconium and hafnium complexes to form hexacoordinate structures: alkali metal halide cages versus solvent adducts
P. Renner, C. Galka, H. Memmler, U. Kauper, L.H. Gade 71

Transition metal imido catalysts for ethylene polymerisation
M.P. Coles, C.I. Dalby, V.C. Gibson, I.R. Little, E.L. Marshall, M.H. Ribeiro da Costa, S. Mastroianni 78

Stoichiometric olefin insertion into the Ti–C bond of four-coordinate cationic bis(phenolate) titanium aryl and benzyl complexes
E.E.C.G. Gielens, T.W. Dijkstra, P. Berno, A. Meetsma, B. Hessen, J.H. Teuben 88

Electrochemical and reactivity comparisons among isoelectronic oxo, imido, and nitrido complexes of rhenium and osmium
B.K. Bennett, T.J. Crevier, D.D. DuMez, Y. Matano, W.S. McNeil, J.M. Mayer 96

C–H activation of pendant alkoxides by tungsten imide complexes
A.Y. Jordan, T.Y. Meyer 104

New titanium imido complexes containing piperazine-based diamido–diamine ligands
J. Lloyd, S.Z. Vatsadze, D.A. Robson, A.J. Blake, P. Mountford 114

Complexes of titanium and zirconium containing a tridentate linked amido–cyclopentadienyl ligand with a soft donor group: synthesis, structure, and ethylene polymerization catalysis
J. Okuda, T. Eberle, T.P. Spaniol, V. Piquet-Fauré 127

P-functionally substituted aminoiminophosphoranate chelates of Ti, Zr, and Sn—synthesis and structural investigations
M. Witt, M. Noltemeyer, H.-G. Schmidt, T. Lübben, H.W. Roesky 138

Cationic Group 4 metal alkyl compounds containing aryloxide ligation: synthesis, structure, reactivity and polymerization studies
M.G. Thorn, Z.C. Etheridge, P.E. Fanwick, I.P. Rothwell 148

Synthesis of Group 4 $[(RN\text{-}o\text{-}C_6H_4)_2O]^{2-}$ complexes where R is $SiMe_3$ or 0.5 $Me_2SiCH_2CH_2SiMe_2$
R.R. Schrock, L.-C. Liang, R. Baumann, W.M. Davis 163

Synthesis of a highly strained uranacycle: molecular structures of organometallic products arising from reduction, oxidation and protonolysis
R. Boaretto, P. Roussel, N.W. Alcock, A.J. Kingsley, I.J. Munslow, C.J. Sanders, P. Scott 174

Ancillary aryloxide ligands in ethylene polymerization catalyst precursors
A.V. Firth, J.C. Stewart, A.J. Hoskin, D.W. Stephan 185

$(Silox)_3Nb(\eta^2\text{-}N,C\text{-}4\text{-picoline})$ as a source of $(silox)_3Nb$: structure of $[(silox)_3Nb]_2(\mu\text{-}\eta^2,\eta^2\text{-}C_6H_6)$ (silox = $^tBu_3SiO$)
A.S. Veige, T.S. Kleckley, R.M. Chamberlin, D.R. Neithamer, C.E. Lee, P.T. Wolczanski, E.B. Lobkovsky, W.V. Glassey 194

The influence of electronic and steric factors on chain branching in ethylene polymerization by Brookhart-type Ni(II) diimine catalysts: a combined density functional theory and molecular mechanics study
T.K. Woo, T. Ziegler 204

Author Index of Volume 591 215
Subject Index of Volume 591 217
Contents of Volume 591 221